



SAFETY DATA SHEET

SATIN POLYASPARTIC PART A

REVISION DATE: JAN 11, 2017

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Satin Polyaspartic85 Part A Resin
PRODUCT CODES: 2200
MANUFACTURER: Epoxy2U, LLC
DIVISION: Floor Coating
ADDRESS: 1850B East Orangethorpe Ave, Unit#B
 Fullerton, CA 92831 Floor Coating
PRODUCT USE: Epoxy2U, LLC
PREPARED BY:

CHEMICAL SPILL
EMERGENCY PHONE: 800-255-3924
CHEMTEL PHONE: 800-255-3924
OTHER CALLS:
FAX PHONE:
CHEMICAL NAME:
CHEMICAL FAMILY:
CHEMICAL FORMULA:

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
 Skin Irritation, Category 2
 Eye Irritation, Category 2A
 Skin sensitization, Category 1
 Acute toxicity (oral), Category 4

2.2 GHS label elements

Hazard pictograms/symbols



Signal word

Warning

Hazard Statements:

H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H302 - Harmful if swallowed

Precautionary Statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
 P264 - Wash hands thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product
 P272 - Contaminated work clothing must not be allowed out of the workplace
 P280 - Wear protective gloves, protective clothing
 P301 & P312 - If swallowed: Call a doctor if you feel unwell
 P302 & P352 - If on skin: Wash with plenty of water
 P305 & P351 & P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P321 - Specific treatment (see a doctor if symptoms do not go away. on this label)
 P330 - Rinse mouth
 P332 & P313 - If skin irritation occurs: Get medical advice/attention
 P333 & P313 - If skin irritation or rash occurs: Get medical advice/attention
 P337 & P313 - If eye irritation persists: Get medical advice/attention
 P362 & P364 - Take off contaminated clothing and wash it before reuse
 P363 - Wash contaminated clothing before reuse
 P501 - Dispose of contents/container to an approved waste disposal plant

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS

INGREDIENTS	WGT%	CAS#
Aspartic Ester	60 - 80 %	TS
Modified Polyacrylate	20 - 60 %	TS
Aldimine	7 - 13 %	54914-37-3
Aliphatic Carboxylic Ester	≤ 5%	623-91-6
Matting Agent	5 - 10%	TS



SAFETY DATA SHEET

SATIN POLYASPARTIC PART A REVISION DATE: JAN 11, 2017

SECTION 4: FIRST AID MEASURES

EYES: Irrigation of the eye immediately with water for fifteen minutes is a good safety practice.
SKIN: Contact will probably cause no more than irritation. Wash off in flowing water or shower. Wash clothing before reuse.
INGESTION: Low in toxicity. No adverse effects anticipated by this route of exposure incidental to proper industrial handling.
INHALATION: Remove to fresh air if effect occurs. Consult medical personnel.
NOTES TO PHYSICIANS: No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reactions of the patient.

G97HCB) .: ≠ 9!: ⇒ < HB; 'A 95GI F 9G

Extinguishing media : Suitable extinguishing media: foam, water spray, dry powder, carbon dioxide
Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas, Hydrogen fluoride
Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
Further information Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

METHODS FOR CLEANING UP : Absorb spillage to prevent material damage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Good room ventilation usually adequate for most operations
RESPIRATORY PROTECTION: None normally needed.
EYE PROTECTION: Use chemical goggles.
SKIN PROTECTION: For brief contact, no precautions other than clean body-covering clothing should be needed. Use impervious gloves when prolonged or frequently repeated contact could occur.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Straw colored liquid.	VAPOR PRESSURE (mmHg):	approx. 20 mbar @ 58°C
ODOR:	Mild	VAPOR DENSITY (AIR = 1):	1.06 g/cm ³
PHYSICAL STATE:	Liquid	SPECIFIC GRAVITY (H₂O = 1):	1.09 -1.16
BOILING POINT:	>190 °C	EVAPORATION RATE:	No Data Available

SECTION 10: STABILITY AND REACTIVITY

CONDITIONS TO AVOID (STABILITY): See SDS section 7 - Stable under normal conditions of use and storage.
INCOMPATIBILITY (MATERIAL TO AVOID): strong acids, strong bases, strong oxidizing agents, strong reducing agents
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: By Fire and Thermal Decomposition: Carbon oxides, Nitrogen oxides (Nox), Amines, other aliphatic fragments which have not been determined. Ammonia gas may be liberated at high temperature
HAZARDOUS REACTIONS : Hazardous polymerisation does not occur



SAFETY DATA SHEET

SATIN POLYASPARTIC PART A REVISION DATE: JAN 11, 2017

SECTION 11: TOXICOLOGICAL INFORMATION

11.0 TOXICOLOGICAL INFORMATION

Acute toxicity

May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash., May cause skin irritation with symptoms of reddening, itching and swelling., May cause eye irritation with symptoms of reddening, tearing, stinging, and swelling

Inhalation

No applicable information available.

Dermal

No applicable information available.

Assessment other acute effects

No applicable information available.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation. No applicable information available.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans. Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Teratogenicity

Assessment of teratogenicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Other Information

The product has not been tested. The statement has been derived from the properties of the individual components.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity: No information available.

12.2 Persistence and degradability: Not readily biodegradable (by OECD criteria).

12.3 Bioaccumulative potential: Because of the product's consistency and low water solubility, bioavailability is improbable.

12.4 Mobility in soil: The substance will not evaporate into the atmosphere from the water surface.

12.5 Other adverse effects: Do not discharge product into the environment without control. The product has not been tested.N/A

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Preferred method of disposal includes incineration under controlled conditions in accordance with all local and national laws and regulations. The generation of waste should be avoided or minimized wherever possible. Untreated material is not suitable for disposal. Waste, even small quantities, should never be poured down drains, sewers or watercourses. Waste must be disposed of in accordance with federal, state and local environmental control regulations. This material, when properly mixed and cured with its resin component at the proper mix ratio, may be safely land filled. Contaminated packaging: mpty containers can only be disposed of when the remaining product adhering to the container walls has been removed. Hazard warning labels should be removed from the container only after it has been properly emptied.



SAFETY DATA SHEET

SATIN POLYASPARTIC PART A REVISION DATE: JAN 11, 2017

WASTE DISPOSAL METHOD:

Burn in adequate incinerator or bury in an approved landfill; in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

PROPER SHIPPING NAME: Polyaspartic Ester / Polyol Resin

HAZARD CLASS OR DIVISION: Non Regulated
UN/NA NUMBER: Non Regulated
PACKING GROUP: Non Regulated
HAZARD LABEL(S): Non Regulated

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT):

The components of this product are contained on the chemical substance inventory list.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

Requires notification of the National Response Center of release of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4. Components present in this product at level which could require reporting under the statute are:

Chemical Name	CAS Number	% By Weight	RQ
NONE	N/A	N/A	N/A

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

Sections 301-304 require emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355. Components present in this product at a level which could require reporting under this statute are:

Chemical Name	CAS Number	% By Weight
NONE	N/A	N/A

311/312 HAZARD CATEGORIES:

Sections 311-312 require products be reviewed and applicable EPA Hazard Definitions be identified and made known.

EPA HAZARD CLASSIFICATIONS:

Acute Hazard	Chronic Hazard	Fire Hazard
NO	NO	NO
Pressure Hazard	Reactive Hazard	
NO	NO	

313 REPORTABLE INGREDIENTS:

Section 313 requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all MSDSs that are copied and distributed for this material. Components present in this product at level which could require reporting under the statute are:

Chemical Name	CAS Number	% By Weight
NONE	N/A	N/A

SECTION 15 NOTES: If you are unsure if you must report more information, call the EPA Emergency Planning and Right-To-Know Hot Line: 800-535-0202 or 202-479-2449. The concentrations shown in this document are maximum or ceiling levels (expressed in weight %, unless otherwise specified) to be used for regulations. Trade Secrets are indicated by "TS".

SECTION 16: OTHER INFORMATION

The information herein is given in good faith, but no warranty expressed or implied is made. Epoxy2U, LLC urges suppliers and users of this product to evaluate its suitability and compliance with local regulations as Epoxy2U, LLC cannot foresee the nature of the final application nor final location of usage