

SECTION 1. IDENTIFICATION

PRODUCT NAME: Polyurea Base Coat RC Part B

PRODUCT CODES: PAE85ULT-B **MANUFACTURER:** Epoxy2U,LLC

DIVISION: High Perfomance Coating

ADDRESS: 4602 S 36th St, Phoenix, AZ 85040

EMERGENCY PHONE: 800-255-3924 **CHEMTEL PHONE:** 800-255-3924

OTHER CALLS:

EMAIL: INFO@EPOXY2U.COM

CHEMICAL NAME: CHEMICAL FAMILY: CHEMICAL FORMULA:

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin Sensitization Category 1
Respiratory Sensitization Category 1
Acute Toxicity (Inhalation) Category 4
STOT SE: Causerespiratory irritation Category 3

GHS Pictogram





Signal Word DANGER

Appearance Clear Viscous Liquid

Physical State Liquid Odor Solvent

Hazard Statements Harmful if inhaled

May causeallergy or asthmasymptoms or breathing difficulties if inhaled

May causean allergic skin reaction May causerespiratory irritation

Precautionary Statement(s) -

Prevention Do not handle until all safety precautions have been read and understood.

Keep container tightly closed.

Do not breathe dust/ fume/ gas/mist/ vapors/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Avoid releaseto the environment.

Wear protective gloves/protective clothing/ eye protection/ face protection.



Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinseskin with water/ shower.

IF INHALED: Removevictim to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Take off contaminated clothing and wash before reuse. If skin irritation or rashoccurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

In case of fire: Usedry sand, dry chemical or alcohol-resistant foam for extinction.

Storage Store in a well-ventilated cool place. Keep container tightly closed. Store locked up.

Disposal Disposal of contents/container to an approved waste disposal plant.

Hazards not otherwise classified Combustible

Severe eye irritant

Severerespiratory irritant

May causesensitization by skin contact

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components CAS Number % by Weight

Homopolymer of Hexamethylene Diisocyanate 28182-81-2 80-100 Hexamethylene-di-isocyanate 822-06-0 <0.9

Note: This product may contain additional ingredients that are classified as non-hazardsor at a very small concentration that do not meet the regulatory concentration limits for disclosure.

SECTION 4. FIRST-AID MEASURES

General Advice Move out of dangerous area. Consult a physician with this SDS.

Seek medical advice.

If breathing has stopped or is labored, give assisted respirations.

Supplemental oxygen may be indicated.

If the heart has stopped, trained personnel should begin cardiopulmonary

resuscitation immediately.

Eye Contact Immediately flush eyeswith plenty of water for at least 20 minutes.

Check and remove any contact lenses. Continue rinsing.

Get medical attention if irritation persists.

Skin Contact Take off contaminated clothing and shoesimmediately.

Wash off with soapand plenty of water for at 20 minutes. Get medical attention if irritation develops or persists.

Inhalation Move to fresh air and keep at rest in a position comfortable for breathing.

If not breathing or breathing is irregular, provide artificial respiration or give

oxygen by trained personnel.

Get medical attention immediately.

Ingestion Never give anything by mouth to an unconscious person.

DO NOT induce vomiting. Rinse mouth with water.

Get medical attention immediately.

Most Important Symptoms/Effect,

Acute and Delayed

Repeated and/or prolonged exposure to low concentrations of vapors and/or

aerosols may cause: Sore throat, eye disease, skin disorders, allergies, asthma,

and neurological disorders.

Immediate Medical Attention and Special Treatment



SECTION 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Foam, Powders, Carbon dioxide

Specific Hazards Arising from the In

Substances of Mixture

Incomplete combustion may form carbon monoxide.

May generate ammonia gas. May generate toxic nitrogen oxide gases.

Burning produces noxious and toxic fumes. Downwind personnel must be evacuated.

Special Protective Equipment for

Firefighters

Use personal protective equipment.

Wear self-contained breathing apparatusfor firefighting if necessary

Further Information Do not allow run-off from firefighting to enterdrains or water courses.

Fire residues and contaminated fire extinguishing water must be disposed of in

accordancewith local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Wear suitable protective clothing, gloves, and eye/face protection.

Protective Equipment, Avoid breathing vapors/mist/gas.

and Emergency Producers Ensure adequateventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas. For personal protection see section 8.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Discharge into the environment must be avoided.

Methods and Materials for Soak up with inert absorbent material and dispose of as hazardous waste.

Containment and Cleaning-up Keep in suitable, closed containers for disposal.

Additional Advice For disposal seesection 13.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Put on appropriate personal protective equipment before handling.

Keep away from sourcesof ignition - No smoking.

Take measuresto prevent the buildup of electrostatic charge.

Conditions for Safe Storage Store in cool place.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to

prevent leakage.

Hygiene Practice Eating, drinking and smoking should be prohibited in areaswhere this material is

handled.

Wash handsthoroughly after handling.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters Hexamethylene –di-isocyanate (CAS: 822-06-0)

ThresholdLimit Value: ACGIH 0.005ppm

National Institute for Occupational Safety and Health



Engineer Controls

Use processenclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below recommended exposure

Wear appropriate personal protective equipment where such systems are not effective to perform satisfactorily and meets OSHA or other recognized standards. Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal Protection Equipment -

Body Protection

Eye/Face Protection Tightly fitted safety goggles.

Faceshield (8-inch minimum).

Use equipment for eye protection tested and approved under appropriate

government standardssuch as NIOSH (US) or EN 166(EU).

Skin Protection Handle with gloves. Gloves must be inspected prior to use.

Use proper glove removal technique (without touching glove's outer surface) to

avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices.

Wash and dry handsafter handling or before eating, drinking, or smoking.

If used in solution, or mixed with other substances, and under conditions which

differ from EN 374, contact the supplier of the CE approvedgloves.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use

by our customers.

It should not be construed as offering an approval for any specific use scenario.

Impervious clothing.

Closed-toe shoe.

Flame retardant antistatic protective clothing.

The type of protective equipment must be selected according to the concentration

and amount of the dangerous substance at the specific workplace.

Respiratory Protection Where risk assessmentshowsair-purifying respirators are appropriate use a full-

face respirator with multipurpose combination (US) or type ABEK (EN 14387)

respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air

respirator. Use respirators and components tested and approved under appropriate

government standardssuch as NIOSH (US) or CEN (EU).

Prevent further leakage or spillage if safe to do so. **Environmental Exposure Controls**

Do not allow product enter into sewersor waterways.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Viscous liquid

Color Clear Odor Solvent

Odor Threshold No data available pН No data available **Melting Point / Freezing Point** No data available **Boiling Point/Range** No data available Flash Point No data available No data available **Evaporation Rate**



SAFETY DATA SHEET

Flammability (solid/gas)

Upper/lower Flammability Limit

Vapor Pressure

Vapor Density

No data available

No data available

Relative Density 1.175 g/cm³ at 77°F (25°C)

Water Solubility <0.1 g/L

Partition Coefficient: n-octanol/waterNo data availableAuto-Ignition TemperatureNo data availableDecomposition TemperatureNo data available

Viscosity 50-150 CPS at 77°F (25°C)

Explosive Properties No data available
Oxidizing Properties No data available

VOC 0 g/L

SECTION 10. STABILITY AND REACTIVITY

Control Parameters No data available

Chemical Stability Stable under recommended storage conditions

Possibility of Hazardous Reaction No data available

Conditions to Avoid Heat, flames, sparks, and oxidizing agents

Incompatible Materials Reactive metals (Sodium, Calcium, Zinc, etc.)

Materials reactive with hydroxyl compounds

Organic acids (acetic acid, citric acid, etc.)

Mineral acids Sodium hypochlorite

Product slowly corrodes copper, aluminum, zince, and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly

creating an explosion

Oxidizing agents

Hazardous Decomposition Products Nitric acid

Ammonia

Nitrogen oxides (NOx)

Nitrogen oxide can react with water vapors to form corrosive nitric acid

Carbon monoxide Carbon dioxide (CO2)

Aldehydes

Flammable hydrocarbon fragments In the event of fire: seesection 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on the Likely Routes of Exposure

Eye Contact Causeeye irritation
Skin Contact Causeskin irritation
Inhalation No data available
Ingestion No data available

Symptoms Related to Physical, Chemical, and Toxicological Effects

Eye Contact Causeeye irritation



Skin Contact Causeskin irritation

Inhalation Stomachache, nausea, vomiting Ingestion Dullness, vision disorder, blindness

Chronic Toxicity / Effects from Long Term Exposure

Sensitization Skin sensitizer
Germ Cell Mutagenicity No data available
Carcinogenicity No data available
Reproductive Toxicity No data available
Specific Target Organ Systemic No data available

Toxicity (Single Exposure)

Specific Target Organ Systemic No data available

Toxicity (RepeatedExposure)

Products Numerical Measures of Toxicity -

Not determined

Additional Information —

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Life No data available
Persistence and Degradability No data available
Bio accumulative Potential No data available
Mobility in Soil No data available

Results of PBT and vPvB Assessment

No data available as chemical safety assessmentnot required/not conducted

Other Adverse Effects An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

Toxic to aquaticlife with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste/Unused Products Burn in a chemical incinerator equipped with an afterburner and scrubber but

exert extra care in igniting as this material is highly flammable.

This product should not be allowed to enter drains, water coursesor the soil Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contact supplier if guidance is required.

Contaminated Packaging Dispose of container and unused contents in accordance with federal, state, and

local requirements

SECTION 14. TRANSPORT INFORMATION

DOT (US)

IMO/IMDG

Not Dangerous Goods

ICAO/IATA

Not Dangerous Goods

SECTION 15. REGULATORY INFORMATION

UNITED STATES

TSCA 8 (b) Inventory Status All Components are listed or exempt from listing on the Toxic Substances Control

Act Inventory.



TSCA 12 (b) Export Notification

SARA 302 Components

None above reporting de minimus

No chemicals in this material are subject to the reporting requirements of SARA

Title III. Section302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section313.

SARA 311/312 Hazards

Acute health hazard Yes Chronic health hazard Yes Fire hazard No Sudden release of pressure hazard No Reactive hazard Yes

California Prop. 65 Components

This product may contain chemicals known to the Stateof California to cause

birth defects or other reproductive harm.

CANADA

CEPA DSL/NDSL Status

All components are listed or exempt from listing on the Domestic Substances List.

SECTION 16. OTHER INFORMATION

Creation Date 01/11/2020

1

Revision Date

Version

HMIS Rating

Health Hazard 2 Flammability 1 Physical Hazard 0

NFPA Rating

Health Hazard 2 Fire Hazard 1 Reactivity Hazard

Disclaimer

The information provided in this Safety Data Sheetis correct to the best of our knowledge, information and belief at the date of its

publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessaryor appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, expressor implied, is given.